11010 604/bkm 12 Feb. 2002

MEMORANDUM

From: Commanding Officer, U.S. Naval Air Station, Keflavik
To: Project File

Subj: RECORD OF NEGATIVE DECISION FOR PROPOSED TURNOVER OF 46 FACILITIES LOCATED AT THE H-1 SITE, ROCKVILLE TO THE GOVERNMENT OF ICELAND

Ref: (a) Final Governing Standards for Environmental Protection by United States Forces in Iceland of April 1994

(b) OPNAVINST 5090.1(Series)

- 1. This statement documents the environmental analysis requirement for the subject turnover as required by references (a) and (b). It has been determined that this turnover will not significantly affect the environment, a Record of Negative Decision is appropriate, and an Environmental Review or Study is not required.
- 2. Proposed Action: This action will turn over 46 facilities within the Mid-Atlantic Region. These facilities are excess to the requirements of the using activity and are beyond economical repair. Turnover of these facilities will result in operations and maintenance savings. The facilities are vacant and do not serve the mission of NAS Keflavik Iceland. The turnover of these facilities shall be done in compliance with the requirements of reference (a). These facilities are neither on nor eligible for listing on the National Register of Historic Places and this action has been found not to have a significant effect on the human environment.
- 3. This Record of Negative Decision was prepared by Mr. B. Mustard, Planning Director, Code 604, Public Works Department, NAS Keflavik, Iceland after consultation with the Public Work's Environmental Division. He can be reached at commercial telephone 011-354-425-2217/2295 or DSN 450-2217/2295.

J. H. EDWARDS By Direction

I.S. NAVAL AIR STATION PSC 1003, BOX 15 FPO AE 08728-0915

> 5090 Ser 60/**086** .30 Mar 2001

From: Commanding Officer, U.S. Naval Air Station Keflavik

To: Commander, Iceland Defense Force (J4)

Subj: ROCKVILLE AGREED AREA SITE

Ref: (a) DoDI 4715.8 Environmental Remediation for DoD Activities Overseas

Encl: (1) Naval Hospital Keflavik ltr 5103 Ser 043/00604 of 6 November 00

1. In accordance with reference (a), enclosure (1) is provided to support the determination that the Rockville Agreed Area Site presents no known imminent and substantial endangerment to human health and safety as a result of environmental contamination caused by DoD operations.

2. My point of contact for this issue is Lieutenant Junior Grade Michael Meno, Jr., NASKEF Public Works Environmental Division Officer. He may be contacted via telephone at x6404 or email 60e@naskef.navy.mil.

J. H. EDWARDS
By direction

COMMANDER IN CHIEF
U. S. ATLANTIC FLEET
1562 MITSCHER AVENUE SUITE 250
NORFOLK, VA. 23551-2487

5090 Ser N4653B/ 000193 28 MAR 2001

From: Commander in Chief, U.S. Atlantic Fleet To: Commander, Icelandic Defense Force, Keflavik

Subj: DETERMINTATION OF KNOWN AND SUBSTANTIAL ENDANGERMENT FOR ROCKVILLE AGREED AREA SITE

Ref: (a) NAS KEFLAVIK ltr 5090 Ser 60/0778 of 20 Oct 00 (w/end)

(b) DODINST 4715.8, Environmental Remediation for DOD Activities Overseas

(c) SECDEF WASHINGTON DC 142159Z Dec 93

Encl: (1) Environmental Condition Report for Rockville Agreed Area Site

- 1. As requested in reference (a), we reviewed enclosure (1) for Known Imminent and Substantial Endangerment (KISE) to human health and safety at the Rockville Agreed Area Site. The review indicated there is no KISE per reference (b).
- 2. Prior to transfer of the property, we recommend a full disclosure of existing environmental conditions presented in enclosure (1). Additionally, per reference (c), once a site is designated for return, funds will not be spent for maintenance, repair, or environmental restoration beyond the minimum necessary to sustain current operations. At this time, DOD has no ongoing operations.

3. CINCLANTFLT POC is Ms. Polly Kendall, N4653B, at (757) 836-7479, (DSN 836) or E-mail: kendallpe@clf.navy.mil.

T. R. CRABTREE

Deputy Director

Shore Activities Readiness

Copy to:
USCINCJFCOM (J4)
COMNAVREG MIDLANT (Code 90)
LANTNAVFACENGCOM



U.S. NAVAL HOSPITAL PSC 1003, BOX 8 FPO AE 09728-0308

> 5103 Ser 043/00604 6 Nov 00

From: Commanding Officer, U.S. Naval Hospital Keflavik
To: Commanding Officer, U.S. Naval Air Station Keflavik

Subj: ROCKVILLE AGREED AREA SITE

Ref:

(a) CO, Naval Air Station Keflavik ltr 5090 Ser 60/0777 of 20 October 00

(b) Environmental Condition Report for Rockville Agreed Area Site

(c) DoDI 4715.8 Environmental Remediation for DoD Activities Overseas

- 1. As requested in reference (a), the U.S. Naval Hospital Keflavik has reviewed reference (b). The review has indicated that there is no known imminent substantial endangerment to human health and safety in accordance with reference (c).
- 2. The review of the reference (b) has indicated that several facilities contain lead based paint and asbestos containing materials. It is recommended that full disclosure of this information be made to ensure proper facility management and use for the protection of human health and safety.
- 3. My point of contact is LT Raymond Stiff, Head of Industrial Hygiene and Occupational Health. He may be contacted via telephone at 011-354-425-3252 or DSN 450-3252 if you should have any questions or concerns.



U.S. NAVAL AIR STATION PSC 1003, BOX 15 FPO AE 09728-0315

> 5090 Ser 60/0778 20 October 00

From: Commanding Officer, U.S. Naval Air Station, Keflavik

To: Commander in Chief, U.S. Atlantic Fleet (N465) Via: Commander, Navy Region Mid-Atlantic (Code 90)

Subj: ROCKVILLE AGREED AREA SITE

Ref: (a) DoDI 4715.8 Environmental Remediation for DoD

Activities Overseas

Encl: (1) Environmental Condition Report for Rockville Agreed

Area Site

1. In accordance with reference (a), request your review of enclosure (1), which documents the historical use of and current environmental conditions at the Rockville Agreed Area Site.

- 2. As the Department of Defense (DoD) Environmental Executive Agent for Iceland, your review is necessary before the land may be returned to the Government of Iceland. Of particular interest is any known imminent and substantial endangerment to human health and safety due to environmental contamination that was caused by DoD operations at this site.
- 3. Point of contact is ENS Michael Meno, Jr., NASKEF Public Works Environmental Division Officer. He may be contacted via telephone at 011-354-425-6404 or DSN 450-6404, or by email at 60e@naskef.navy.mil.

. H. EDWARDS y direction

Copy to: COMICEDEFOR KEFLAVIK IC (J4, SJA)